Color: White

Revision Date: 2-15-18



SECTION 1 – IDENTIFICATION		
PRODUCT NAME	Ames'® Block & Wall® Acrylic	
OTHER MEANS OF	BW Color: White	
IDENTIFICATION		
END USE	Latex Paints & Coatings, Water Borne Dispersion	
MANUFACTURER	Ames Research Laboratories, Inc.	
	Salem, Oregon 97302	
	Corporate Office:	
	1891 16 th Street SE	
	Salem, Oregon 97302-1436	
	(503) 588-3330	
EMERGENCY PHONE	1-888-345-0809 or Chemtrec 1-800-424-9300	
NUMBER		

SECTION 2 – HAZARD IDENTIFICATION			
CLASSIFICATION	Acute Toxicity, Dermal – 5:		
	Serious Eye Damage/Eye Irritation – 2B:		
	Acute Toxicity, Inhalation – 5:		
	·		
SIGNAL WORD	WARNING		
HAZARD	May be harmful in contact with skin (H313)		
STATEMENT	Causes eye irritation (H320)		
	May be harmful if inhaled (H333)		
HAZARD	N.A. – No Symbol		
PICTOGRAMS			
PRECAUTIONARY	Wear protective gloves/protective clothing/eye		
STATEMENT(S)	protection/face protection. Avoid breathing		
	dust/fume/gas/mist/vapor/spray. Use only outdoors or in		
	well-ventilated area. If hands or other body parts come in		
	contact, wash thoroughly after handling.		
	TEDIEVEG D' (' 1 '4 (C 1		
	IF IN EYES: Rinse cautiously with water for several		
	minutes. Remove contact lenses, if present and easy to do		
	so. Continue rinsing. (P305+P351+P338)If eye irritation		
	persists: Get medical attention from a physician.		
	(P337+P313)		
	IF ON SKIN OR INHALED: Call a POISION CENTER or		
	doctor/physician if you feel unwell.(P304+P312)		
HAZARDS NOT	N.A.		
OTHERWISE	1 1,72 %		
CLASSIFIED			

Ames'® Block & Wall® Acrylic

Product Name (as used on Label and List)

Color: White

Revision Date: 2-15-18



GHS Safety Data Sheets (SDS)

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS			
SUBSTANCE /	Mixture		
MIXTURE			
OTHER MEANS OF	N. A.		
IDENTIFICATION			
CAS # / IDENTIFIERS			
INGREDIENT NAME	% BY WEIGHT	CAS NUMBER	
Acrylic Polymer	40 – 50 %	N/A Mixture	
Limestone (Calcium	10 – 20 %	1317-65-3	
Carbonate)			
Titanium Dioxide	1 – 10 %	13463-67-7	
Propylene Glycol	1 – 6%	57-55-6	

Any concentrations shown in a range are to protect trade secret confidentiality or is due to batch variation. There are no additional ingredients present, which within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

SECTION 4 – FIRST AID MEASURES		
DESCRIPTION OF NECESSARY FIRST AID MEASURES		
EYE CONTACT	Rinse cautiously with water for several minutes.	
	Remove contact lenses, if present and easy to do so.	
	Continue rinsing. If eye irritation persists: Get medical	
	attention from a physician.	
INHALATION	Slight ammonia odor. Remove to fresh air. If not	
	breathing, give artificial respiration. If breathing is	
	difficult, give oxygen. Get immediate medical	
	attention.	
SKIN CONTACT	Remove contaminated clothing and shoes. Wash	
	affected area(s) thoroughly with soap and water. Flush	
	skin after contact. May cause mild skin irritation.	
	Protect with gloves.	
INGESTION	N/A. Ingestion not a probable route of entry.	
	TOMS / EFFECTS, ACUTE AND DELAYED	
EYE CONTACT	May cause eye irritation	
INHALATION	May cause respiratory tract irritation	
SKIN CONTACT	May cause skin irritation	
INGESTION	N/A. Ingestion not a probable route of entry.	
INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL		
TREATMENT NEEDS, IF NECESSARY		
EYE CONTACT	N/A	
INHALATION	N/A	
SKIN CONTACT	N/A	
INGESTION	N/A. Ingestion not a probable route of entry.	

Color: White

Revision Date: 2-15-18



SECTION 5 – FIRE FIGHTING MEASURES		
EXTINGUISHING MEDIA:	Foam CO2, Dry chemical, Water, Fog Foam	
SUITABLE MEDIA		
EXTINGUISHING MEDIA:	N/A	
UNSUITABLE MEDIA		
SPECIFIC HAZARDS	None known. Some gases, hydrogen chloride, carbon	
ARISING FROM THE	monoxide.	
CHEMICAL		
SPECIAL PROTECTIVE	Containers exposed to fire should be kept cool with	
ACTIONS FOR FIRE-	water spray. Containers can build up pressure if	
FIGHTERS	exposed to heat (fire).	
SPECIAL EQUIPMENT	As in any fire, wear pressure-demand self-contained	
FOR FIRE-FIGHTERS	breathing apparatus (SCBA) (MSHA/NIOSH	
	approved or equivalent) and full protective gear.	

SECTION 6 – ACCIDENTAL RELEASE MEASURES			
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND			
EMERGENCY PROCEDURES			
FOR NON-EMGERGENCY	Keep unnecessary and unprotected personnel from		
PERSONNEL	entering. Do not touch or walk through spilled		
	material. Avoid breathing vapor or mist. Provide		
	adequate ventilation. Wear appropriate respirator		
	when ventilation is inadequate. Put on appropriate		
	personal protective equipment.		
FOR EMERGENCY	If specialized clothing is required to deal with the		
PERSONNEL	spillage, take note of any information in Section8 on		
	suitable and unsuitable materials. See also the		
	information in "For non-emergency personnel.		
ENVIRONMENTAL	Avoid runoff into storm sewers and ditches that lead to		
PRECAUTIONS	waterways. This product does not meet the definition		
	of hazardous waste under the U.S. EPA Hazardous		
	Waste Regulations 40 CFR 261. Consult your state or		
	local authorities for proper disposal in the event that		
	more restrictive requirements apply.		
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP			
LARGE SPILLS	Soak spills with sand or earth and remove. Repeat		
	sorbent/sweep cycle until the spill is dried up. Collect		
	and dispose according to local regulations.		
SMALL SPILLS	Flush with water		

Color: White

Revision Date: 2-15-18



SECTION 7 – HANDLING AND STORAGE				
PRECAUTIONS FOR SAFE HANDLING				
PROTECTIVE	Wear appropriate personal protective equipment. Use in			
MEASURES	well ventilated areas. Keep out of reach of children. Use			
	ventilation to keep exposure to airborne contaminants			
	below applicable exposure limits.			
GENERAL HYGIENE	Do not take internally. Wash thoroughly after handling.			
	Remove contaminated clothing and wash before reuse.			
	Avoid breathing vapors from heated material.			
CONDITIONS FOR	Keep container closed when not in use. Dries rapidly.			
SAFE STORAGE,	PROTECT FROM FREEZING			
INCLUDING ANY				
INCOMPATABILITIES				

SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION					
OCCUPATIONAL E	OCCUPATIONAL EXPOSURE LIMITS				
	OSHA PEL 8- OSHA PEL ACGIH ACGIH				
	HR TWA	STEL/Ceiling	TLV-TWA	TLV-STEL	
Limestone	15 mg/m^3	N.E.	10 mg/m^3	N.E.	
Titanium Dioxide	15 mg/m^3	N.E.	10 mg/m^3	N.E.	
Propylene Glycol	N.E.	N.E.	N.E.	N.E.	
CONTROLS					
ENGINEERING	Local exhaust ve	ntilation may be	necessary to co	ntrol any air	
CONTROLS	contaminants to	contaminants to within their respective exposure limits during			
	the use of this product. Contains low levels of ammonia for pH				
	control.				
PERSONAL	Wear a NIOSH/MSHA approved respirator when the product				
PROTECTIVE	is mixed or applied in poorly ventilated areas or if the				
EQUIPMENT	workplace levels of ingredients exceed exposure limits When				
	contact is likely, wear chemical resistive gloves, chemical				
	safety goggles with a face shield, and clean protective clothing				
	to cover arms and legs at a minimum.				

Color: White

Revision Date: 2-15-18



SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES			
APPEARANCE			
PHYSICAL STATE	Thick latex liquid. Contains acrylic latex.		
COLOR	White		
ODOR	Slight ammonia odor		
ODOR THRESHOLD	N/A		
рН	9.5 – 10		
MELTING POINT	N/A		
BOILING POINT	212° F		
FLASH POINT	N/A. These formulations tested in accordance with ASTM E 108-80a Class A with a Zero ignitions with a flame-spread test. With Weyerhaeuser Company, Fire Technology Unit. Product was attained as a Zero. Product contains dispersed latex and water solvent. The flames spread index determined meets the criteria for Class A material over A/C/Substrate.		
EVAPORATION	Similar to latex paint, water-based latex polymers.		
RATE FLAMMABILITY	N/A		
(SOLID, GAS)	IV/A		
UPPER / LOWER	N/A		
FLAMMABILITY OR	IV/A		
EXPLOSIVE LIMITS			
VAPOR PRESSURE	N/A		
VAPOR DENSITY	N/A		
RELATIVE DENSITY	1.13 – 1.2		
SOLUBILITY(IES)	Dilatable, miscible.		
PARTITION	N/A		
COEFFICIENT: N-			
OCTANOL / WATER			
AUTO-IGNITION	N/A		
TEMPERATURE	"		
DECOMPOSITION	N/A		
TEMPERATURE			
VISOCITY	2000 – 4000 cps		

Color: White

Revision Date: 2-15-18



SECTION 10 – STABILITY AND REACTIVITY			
REACTIVITY	This product is not reactive under normal conditions		
CHEMICAL STABILITY	This product is stable under normal storage conditions.		
POSSIBILITY OF	Will not occur under normal conditions.		
HAZARDOUS			
REACTION			
CONDITIONS TO AVOID	Long-term exposure to elevated temperatures. Long		
	term exposure to elevated temperatures.		
INCOMPATIBLE	Avoid contact with oxidizing materials.		
MATERIALS			
HAZARDOUS	Acrid fumes. Oxides of carbon.		
DECOMPOSITION			
PRODUCTS			

SECTION 11 – TOXICOLOGICAL INFORMATION			
INFORMATION ON TOXICOLOGICAL EFFECTS			
ACUTE TOXICITY	May cause slight irritation to skin, eyes,		
	throat and respiratory tract.		
IRRITATION / CORROSION	May cause slight irritation to skin, eyes,		
	throat and respiratory tract.		
SENSITIZATION	N.A.		
MUTAGENICITY	N.A.		
CARCINOGENICITY	N.A.		
REPRODUCTIVE TOXICITY	N.A.		
TETRAOGENICITY	N.A.		
SPECIFIC TARGET ORGAN TOXICITY	N/A		
(SINGLE EXPOSURE)			
SPECIFIC TARGET ORGAN TOXICITY	N/A		
(REPEATED EXPOSURE)			
ASPIRATION HAZARD	N/A		
INFORMATION ON LIKELY ROUTES OF	Inhalation and dermal are likely routes		
EXPOSURE	of exposure.		
POTENTIAL ACUTE HEALTH EFFECTS			
EYE CONTACT	May cause slight irritation		
INHALATION	May cause respiratory tract irritation		
SKIN CONTACT	May cause irritation		
INGESTION	Irritating to mouth, throat and stomach.		
SYMPTOMS RELATED TO THE PHYSICAL, CHEMCIAL AND			
TOXICOLOGICAL CHARACTERISTICS			
EYE CONTACT	N/A		
INHALATION	N/A		
SKIN CONTACT	N/A		
INGESTION	N/A		

Color: White

Revision Date: 2-15-18



DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS				
FROM SHORT AND LONG TERM EXPOSURE				
SHORT TERM EXPOSURE – POTENTIAL		N/A		
IMMEDIATE EFFE	ECTS			
SHORT TERM EX	POSURE – POTENTIAL	N/A		
DELAYED EFFEC	TS			
LONG TERM EXP	OSURE – POTENTIAL	N/A		
IMMEDIATE EFFE	ECTS			
LONG TERM EXP	OSURE – POTENTIAL	N/A		
DELAYED EFFEC	TS			
POTENTIAL CH	RONIC HEALTH EFFEC	TS		
GENERAL		N.A.		
CARCINOGENICI	ГҮ	N.A.	N.A.	
MUTAGENICITY		N.A.		
TERATOGENCITY	7 -	N.A.		
DEVELOPMENTA	L EFFECTS	N.A.		
FERTILITY EFFEC		N.A.	**	
	ASURES OF TOXICITY	N.A.		
(ACUTE TOXICIT	Y ESTIMATE)			
TOXICOLOGICA				
INGREDIENT	ORAL RAT (LD50)	SKIN RABBIT	INHALATION RAT	
		(LD50)	(LC50)	
Propylene Glycol	>20000 mg/kg	>10000 mg/kg 6.15 mg/l		
Limestone	>5000 mg/kg	000 mg/kg N/A N/A		
Ethyl >5000 mg/kg		N/A	N/A	
Hydroxyetheyl				
Cellulose				
Titanium Dioxide	10000 mg/kg	N/A	N/A	

SECTION 12 – ECOLOGICAL INFORMATION		
TOXICITY	Contains water-based acrylic. Relatively non-toxic to	
	environment.	
PERSISTENCE AND	N/A	
DEGARDABILITY		
BIOACCUMULATIVE	N/A	
POTENTIAL		
MOBILITY IN SOIL	N/A	
OTHER ADVERSE	N/A	
EFFECTS		

Color: White

Revision Date: 2-15-18



SECTION 13 – DISPOSAL CONSIDERATIONS		
DISPOSAL	Review all local, state, and federal regulations concerning	
CONSIDERATIONS	health and pollution for appropriate disposal procedures.	

SECTION 14 – TRANSPORTATION INFORMATION						
DOT PROPER SHIPPING NAME			Not regulated			
	DOT Classification		TDG Classification	Mexico Classification	IMDG	IATA
UN NUMBER	Not regulated.		Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN PROPER NAME	-		-	-	=	-
PACKING GROUP	-		-	-	-	-
TRANSPORT HAZARD CLASS(ES)	-		-	-	-	-
ENVIRONMENTAL HAZARDS	No.		No.	No.	No.	No.
ADDITIONAL INFORMATION	Specia Provisio Not Applicat	ns	Special Provisions Not Applicable	Special Provisions Not Applicable	Emergency Schedules (Ems) Not Applicable	Special Provisions Not Applicable
FOR USERS: information p The presence mode of trans product is pac packaging mu shipment, and is the sole res for transport. goods must be			presence of a de of transport duct is packag kaging must be present, and content of the sole respontant port. People of transport of transport and or stances and stances are stances and stances are stances and stances are stances and stances are stances a	pping descriptions are provided for poses and do not consider container sizes. a shipping description for a particular ort (sea, air, etc.), does not indicate that the aged suitably for the mode of transport. All be reviewed for suitability prior to compliance with the applicable regulations insibility of the person offering the product cople loading and unloading dangerous rained on all of the risks deriving from the on all actions in case of emergency		
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL II 73/78 AND THE IBC CODE		N.A				
PROPER SHIPPING NAME		N.A				
SHIP TYPE		N.A				
POLLUTION CATEGORY			N.A			

Color: White

Revision Date: 2-15-18



SECTION 15 – REG	SECTION 15 – REGULATORY INFORMATION		
U.S. FEDERAL REGULATION			
OSHA	Hazardous by definition of Hazard Communication Standard		
	(29 CFR 1910.1200)		
CERLA – SARA	This product has been reviewed according to the EPA "Hazard		
HAZARD	Categories" promulgated under Sections 311 and 312 of the		
CATEGORY	Superfund Amendment and Reauthorization Act of 1986		
	(SARA Title III) and is considered, under applicable		
	definitions, to meet the following category: None.		
SARA SECTION	This product does not contain toxic chemical(s) at or above the		
313	de minimus concentrations subject to the reporting		
	requirements of section 313 of Title III Superfund Amendment		
	and Reauthorization Act of 1986 and 40 CFR part 372.		
TOXIC	This product meets the compositional requirements of the		
SUBSTANCES	Toxic Substances Control Act and contains only chemical		
CONTROL ACT	ingredients that are listed on the TOSCA inventory.		
CALIFORNIA	This product may contain chemical(s) known to the state of		
PROP. 65	California to cause cancer and/or birth defects or other		
	reproductive harm.		
INTERNATIONAL REGULATIONS			
CANADIAN EPA	This product complies with Domestic Substance List of the		
	Canadian Environmental Agency.		
CANADIAN	N/A		
WHMIS CLASS			

SECTION 16 – 0	THED INEO	DMATION		
			DE A CERTIFIE	DEDCOMAL
HMIS	HEALTH	FLAMMABILITY	REACTIVITY	PERSONAL
RATINGS	1	0	0	PROTECTION
				В
EUROPEAN PRI	ECAUTIONAR	RY PICTOGRAMS		
General:				
If spraying or in poorly ventilated area:				
				THE PARTY OF THE P
PREVIOUS SDS	9/15	-		
REVISION DATE	Е			

Color: White

Revision Date: 2-15-18



GHS Safety Data Sheets (SDS)

REASON FOR	N.A.
REVISION VOLATILE ORGANIC	< 50grams/liter
COMPOUNDS	< Jograms/Inter
(VOC'S)	
LEGEND	N.A. – Not Applicable, N.E. – Not Established, N.D. – Not
	Determined
ABBREVIATIONS	N/A – Information or data not available, NTP – National
USED	Toxicological Program, IARC – International Agency for
	Research on Cancer, NIOSH – National Institute of
	Occupational Safety and Health, PEL – Permissible Exposure
	Limit (8-hour TWA OSHA), TLV – Threshold Limit Value
	(8-Hour TWA ACGIH), STEL – Short Term Exposure Limit
	(15 min. TWA OSHA), C – Ceiling Value
NOTICE TO READER	It is recommended that each customer or recipient of this
	Safety Data Sheet (SDS) study it carefully and consult
	resources, as necessary or appropriate, to become aware of
	and understand the data contained in this SDS and any
	hazards associated with the product. This information is
	provided in good faith and believed to be accurate as of the
	effective date herein. However, no warranty, expressed or implied, is given, The information presented here applies only
	to the product as shipped. The addition of a material can
	change the composition, hazards and risks of the product.
	Regulatory requirements are subject to change and may differ
	between various locations and jurisdictions. The
	customer/buyer/user is responsible to ensure that their
	activities comply with all country, federal, state, provincial or
	local laws. The conditions for use of the product are not under
	the control of the manufacturer; the customer/buyer/user is
	responsible to determine the conditions necessary for the safe
	use of this product. Due to the proliferation of sources for
	information such as manufacturer-specific SDS, the
	manufacturer cannot be responsible for the SDS's obtained
	from any other source.
	Note: This information must be included in all SDS that are
	copied and distributed for this material.

END OF SAFETY DATA SHEET